

# Tile Book

Fall Winter Collection  
2022

**RAK**  
CERAMICS

**RAK**  
CERAMICS

# MAXIMUS

MEGA SLAB

black silk	06
calacatta extra blue	10
concrete project	14
cosmic metal	18
dark ink	22
elegant marfil	28
luce	32
metamorfosi	36
milano stone	46
onyx canvas	54
pece stone	62
pietra di rapolano	68
savoia grey	72
sawyer	78
station	82
taj mahal	86

## Porcelain & High performance tiles

b-materia	92
breccia adige stone	100
carmo stone	108
creative concrete	116
elegant wood	124
essential wood	128
harbor stone	132
loft concrete	142
mimesis	150
sea wood	158
steam stone	162
tibur <i>from</i> baalbek	172

## Ceramic tiles

agora concrete	180
draide pro marble	184
soft stone	188
metamorfosi brick	192
dark ink brick	196
hydo mosaic	198



MAXIMUS  
MEGA SLAB

black silk

furniture: black silk 135x305 cm  
floor: steam stone grey 80x80 cm






black silk anthracite

## black silk

135x305 cm  
53.14"x120"



>|< 14.5 mm

PT



S

N

M



Name	Thickness (MM)	Code	Size(CM)
black silk anthracite	14.5	A83GBKSK-ANT.MoX2R	135X305

calacatta extra blue

counter: calacatta extra blue 135x305 cm  
floor: calacatta extra blue 120x120 cm




## calacatta extra blue




calacatta extra blue white

135x305 cm  
53.14"x120"




>|< 14.5 mm

120x120 cm  
47.24"x47.24"



>|< 9 mm

calacatta extra blue white variations  
120x120 cm



Name	Thickness (MM)	Code	Size(CM)
calacatta extra blue hyper white	14.5	A83GCTBL-HWH.NoX2P	135X305
calacatta extra blue white	9	A22GCTBL-WHE.NoX5P	120X120


Note : 135x305 cm have only one face.





concrete project


wall: concrete project 120x280 cm  
floor: harbor stone grey 80x80 cm  
swimming pool: hydo mosaic grey 5x5, 30x30 cm



MAXIMUS  
MEGA SLAB



concrete project grey variations  
120x280 cm




concrete project grey




## concrete project

120x280 cm  
47.24"x110.236"




>|< 9 mm

90x180 cm  
35.43"x70.86"



>|< 9 mm


120x120 cm  
47.24"x47.24"



>|< 9 mm




concrete project grey variations  
120x120 cm



Name	Thickness (MM)	Code	Size(CM)
concrete project grey	9	A82GCPJT-GRY.MoX5R	120x280
	9	A93GCPJT-GRY.MoX5R	90x180
	9	A22GCPJT-GRY.MoX5R	120x120

cosmic metal


wall: cosmic metal emerald 120x280 cm  
floor: elegant wood natural 19,5x120 cm



MAXIMUS  
MEGA SLAB




cosmic metal emerald variations  
120x280 cm



cosmic metal emerald


## cosmic metal

120x280 cm  
47.24"x110.236"




>|< 9 mm

120x120 cm  
47.24"x47.24"



>|< 9 mm

cosmic metal emerald variations  
120x120 cm




Name	Thickness (MM)	Code	Size(CM)
cosmic metal emerald	9	A82GCOSM-EMD.MoX5R	120x280
	9	A22GCOSM-EMD.MoX5R	120x120

dark ink

wall: dark ink black 120x260 cm, dark ink black brick 7x28 cm  
floor: dark ink white 120x120cm, hydo mosaic black 5x5, 30x30 cm




MAXIMUS  
MEGA SLAB



dark ink black


## dark ink

120x260 cm  
47.24"x102.36"




>|< 6 mm

120x120 cm  
47.24"x47.24"




>|< 9 mm

polished 



honed 



PT



S





P




S

H



Name	Thickness (MM)	Code  	Code  	Size(CM)
dark ink black	6	A62GDKIK-BLK.NoX6P	A62GDKIK-BLK.OoX6P	120x260
dark ink white	6	A62GDKIK-WHE.NoX6P	A62GDKIK-WHE.OoX6P	120x260
dark ink black	9	A22GDKIK-BLK.NoX5P	A22GDKIK-BLK.OoX5P	120x120
dark ink white	9	A22GDKIK-WHE.NoX5P	A22GDKIK-WHE.OoX5P	120x120

# dark ink



dark ink white



wall: dark ink black 120x260 cm  
floor: dark ink white 120x120cm

elegant marfil


wall: elegant marfil cream 120x280 cm  
floor: elegant marfil cream 120x120 cm








elegant marfil cream variations  
120x280 cm



elegant marfil cream


## elegant marfil

120x280 cm  
47.24"x110.236"



>|< 9 mm

120x120 cm  
47.24"x47.24"



>|< 9 mm

elegant marfil cream variations  
120x120 cm



Name	Thickness (MM)	Code	Size(CM)
elegant marfil cream	9	A82GEGMF-CRM.NoX5P	120x280
	9	A82GEGMF-CRM.NoX5P	120x120

luce


wall: luce onyx green jade 120x260 cm  
floor: steam stone dark grey 120x120 cm




MAXIMUS  
MEGA SLAB



luce onyx green jade variations  
120x260 cm



120x260 cm  
47.24"x102.36"



>|< 6 mm

# luce

- 
- 
- 
- 
- 
- 
- 
- 
- 

luce onyx green jade

Name	Thickness (MM)	Code	Size(CM)
luce onyx green jade	6	A62GLUCE-OGJ.NoX6P	120x260

# metamorfoosi

SIGNATURE  
COLLECTION



wall: metamorfoosi cord 120x260 cm, metamorfoosi flowers blue decor 120x260 cm  
counter wall and table top: metamorfoosi dusk 120x120 cm  
floor: metamorfoosi cloud 120x120 cm



wall: metamorfoosi rose decor 120x260 cm  
furniture: metamorfoosi grape 120x260 cm


metamorfoşi



wall: metamorfoşi olive and metamorfoşi jungle decor 120x260 cm  
floor: metamorfoşi cord 120x120 cm

metamorfofi

wall: metamorfofi dusk, midnight and metamorfofi ibisco decor 120x260 cm  
floor: metamorfofi cord 120x260 cm



metamorfofi cotton



metamorfofi cord



metamorfofi cloud



metamorfofi fog



metamorfofi midnight



metamorfofi olive



metamorfofi bloom



metamorfofi grape




metamorfofi dusk




# metamorfofi

120X260 cm  
47.24"x102.36"



>|< 6 mm

120X120 cm  
47.24"x47.24"



>|< 9 mm



Name	Code	Size(CM)	Code	Size(CM)
metamorfofi cotton	A62GMTFS-CTT.MoX6R	120x260	A22GMTFS-CTT.MoX5R	120x120
metamorfofi cord	A62GMTFS-CRD.MoX6R	120x260	A22GMTFS-CRD.MoX5R	120x120
metamorfofi cloud	A62GMTFS-COU.MoX6R	120x260	A22GMTFS-COU.MoX5R	120x120
metamorfofi fog	A62GMTFS-FGG.MoX6R	120x260	A22GMTFS-FGG.MoX5R	120x120
metamorfofi dusk	A62GMTFS-DSK.MoX6R	120x260	-	-
metamorfofi midnight	A62GMTFS-MDN.MoX6R	120x260	-	-
metamorfofi olive	A62GMTFS-EMD.MoX6R	120x260	-	-
metamorfofi bloom	A62GMTFS-BLM.MoX6R	120x260	-	-
metamorfofi grape	A62GMTFS-GPE.MoX6R	120x260	-	-
metamorfofi affresco cloud decor	A62GMTAF-COU.MDX6R	120x260		
metamorfofi artichoke cord decor	A62GMTAT-CRD.MDX6R	120x260		
metamorfofi flowers blue decor	A62GMTFL-BLE.MDX6R	120x260		
metamorfofi geometry pink decor	A62GMTGO-PIK.MDX6R	120x260		
metamorfofi leaves green decor	A62GMTLV-GRE.MDX6R	120x260		
metamorfofi tropical green decor	A62GMTTC-GRE.MDX6R	120x260		
metamorfofi textile pink decor	A62GMTTX-PIK.MDX6R	120x260		
metamorfofi palms cord decor	A62GMTPL-CRD.MDX6R	120x260		
metamorfofi jungle green decor	A62GMTJU-GRE.MDX6R	120x260		
metamorfofi rose pink decor	A62GMTRO-PIK.MDX6R	120x260		
metamorfofi ibisco blue decor	A62GMTIB-BLE.MDX6R	120x260		




metamorfofi leaves green decor




metamorfofi tropical green decor



metamorfofi palms cord decor



metamorfofi textile pink decor



metamorfofi geometry pink decor

# metamorfofi



metamorfofi ibisco blue decor



metamorfofi jungle green decor




metamorfofi artichoke cord decor



metamorfofi affresco cloud decor



metamorfofi flowers blue decor



metamorfofi rose pink decor



milano stone



wall: milano stone grey 120x280 cm  
floor: milano stone grey 120x120 cm

MAXIMUS  
MEGA SLAB




# milano stone

milano stone grey variations  
120x280 cm




120x280 cm  
47.24"x110.236"




>|< 9 mm

90x180 cm  
35.43"x70.86"



>|< 9 mm

120x120 cm  
47.24"x47.24"



>|< 9 mm



milano stone variations  
120x120 cm




milano stone grey



milano stone beige variations  
120x280 cm




milano stone beige




# milano stone

milano stone white variations  
120x280 cm




milano stone white


# milano stone



milano stone green variations  
120x280 cm



milano stone green



wall: milano stone green 120x280 cm

Name	Thickness (MM)	Code	Size(CM)	Code	Size(CM)
milano stone beige	9	A82GMLST-BEE.MoX5R	120x280	A22GMLST-BEE.MoX5R	120x120
milano stone green	9	A82GMLST-GRE.MoX5R	120x280	A22GMLST-GRE.MoX5R	120x120
milano stone grey	9	A82GMLST-GRY.MoX5R	120x280	A22GMLST-GRY.MoX5R	120x120
milano stone white	9	A82GMLST-WHE.MoX5R	120x280	A22GMLST-WHE.MoX5R	120x120
milano stone beige	9	A93GMLST-BEE.MoX5R	90x180		
milano stone green	9	A93GMLST-GRE.MoX5R	90x180		
milano stone grey	9	A93GMLST-GRY.MoX5R	90x180		
milano stone white	9	A93GMLST-WHE.MoX5R	90x180		

onyx canvas



counter: onyx canvas ivory 120x280 cm  
wall: onyx canvas black 120x280 cm  
floor: concrete project 120x280 cm




onyx canvas ivory variations  
120x280 cm and 120x260



onyx canvas ivory


## onyx canvas

120x280 cm  
47.24"x110.236"



>|< 9 mm


120x260 cm  
47.24"x102.36"




>|< 6 mm



Name	Thickness (MM)	Code	Size(CM)
onyx canvas ivory	9	A82GIVOX-IVO.NoX5P	120x280
onyx canvas black	9	A82GDKOX-BLK.NoX5P	120x280
onyx canvas green	9	A82GGROX-GRE.NoX5P	120x280
onyx canvas pink	9	A82GPKOX-PIK.NoX5P	120x280
onyx canvas blue	9	A82GBEOX-BLE.NoX5P	120x280
onyx canvas ivory	6	A62GIVOX-IVO.NoX6P	120x260
onyx canvas black	6	A62GGROX-BLK.NoX6P	120x260
onyx canvas green	6	A62GDKOX-GRE.NoX6P	120x260
onyx canvas pink	6	A62GPKOX-PIK.NoX6P	120x260
onyx canvas blue	6	A62GBEOX-BLE.NoX6P	120x260



onyx canvas black variations  
120x280 cm and 120x260




onyx canvas black



onyx canvas green


## onyx canvas

onyx canvas green variations  
120x280 cm and 120x260 cm





onyx canvas pink variations  
120x280 cm and 120x260




onyx canvas pink



## onyx canvas

onyx canvas blue variations  
120x280 cm and 120x260 cm



onyx canvas blue




pece stone

wall: pece stone brown 120x280 cm  
floor: pece stone brown 120x120 cm



# MAXIMUS

MEGA SLAB




pece stone brown

pece stone brown variations  
120x280 cm




120x280 cm  
47.24"x110.236"




>|< 9 mm

90x180 cm  
35.43"x70.86"



>|< 9 mm


120x120 cm  
47.24"x47.24"



>|< 7 mm



milano stone variations  
120x120 cm



# pece stone



pece stone cream variations  
120x280 cm



pece stone cream



floor: pece stone cream 120x120 cm

Name	Thickness (MM)	Code	Size(CM)
pece stone brown	9	A82GPCST-BRN.MoX5R	120x280
	9	A93GPCST-BRN.MoX5R	90x180
	7	A22GPCST-BRN.MoXGR	120x120
pece stone cream	9	A82GPCST-CRM.MoX5R	120x280
	9	A93GPCST-CRM.MoX5R	90x180
	7	A22GPCST-CRM.MoXGR	120x120

pietra di rapolano

counter: pietra di rapolano beige 135x305 cm  
wall: onyx canvas ivory 120x280 cm  
floor: essential wood natural 19,5x120 cm




MAXIMUS  
MEGA SLAB



pietra di rapolano beige

## pietra di rapolano

135x305 cm  
53.14"x120"



>|< 14.5 mm

PT



S

N

M



Name	Thickness (MM)	Code	Size(CM)
pietra di rapolano beige	14.5	A83GPDIR-BEE.MoXzR	135X305

savoia grey

table top: savoia grey dark grey 135x305 cm  
floor: steam stone white 60x120 cm



savoia grey

wall and floor: savoia grey dark grey 120x260 cm  
counter: savoia grey dark grey 135x305 cm






savoia grey dark grey variations  
120x260 cm



savoia grey dark grey


## savoia grey

135x305 cm  
53.14"x120"




>|< 14.5 mm

120x260 cm  
47.24"x102.36"



>|< 6 mm

polished 



honed 



PT



S

P



H



Name	Thickness (MM)	Code 	Code 	Size(CM)
savoia grey dark grey	14.5	A83GBSVA-DKG.NoX2P	A83GBSVA-DKG.OoX2P	135x305
savoia grey dark grey	6	A62GBSVA-DKG.NoX6P	A62GBSVA-DKG.OoX6P	120x260

Note : 135x305 cm have only one face.



sawyer

wall: sawyer green 120x280 cm  
floor: elegant wood brown 19,5x120 cm




sawyer




sawyer green

120x280 cm  
47.24"x110.236"



>|< 9 mm

sawyer green variations (continuos)  
120x280 cm




Name	Thickness (MM)	Code	Size(CM)
sawyer green	9	A82GSWYR-GRE.NoX5P	120x280

station




floor: station ivory 120x120 cm

station



station grey



station dark grey




station ivory



station beige




120X120 cm  
47.24"x47.24"



>|< 7 mm

90x180 cm  
35.43"x70.86"



>|< 9 mm

PT



S

N

M



Name	Thickness (MM)	Code	Size(CM)
station beige	7	A22GSTAO.BEE.MoXGR	120x120
station dark grey	7	A22GSTAO.DKG.MoXGR	120x120
station grey	7	A22GSTAO.GRY.MoXGR	120x120
station ivory	7	A22GSTAO.IVO.MoXGR	120x120
station beige	9	A93GSTAO.BEE.MoX5R	90x180
station dark grey	9	A93GSTAO.DKG.MoX5R	90x180
station grey	9	A93GSTAO.GRY.MoX5R	90x180
station ivory	9	A93GSTAO.IVO.MoX5R	90x180

taj mahal

counter: taj mahal pearl 135x305 cm and 120x260 cm  
floor: elegant wood brown 19,5x120 cm



MAXIMUS  
MEGA SLAB


taj mahal pearl variations  
120x260 cm



taj mahal pearl

# taj mahal

135x305 cm  
53.14"x120"




>|< 14.5 mm

polished 



120x260 cm  
47.24"x102.36"



>|< 6 mm

honed 



PT





S

P



H



Name	Thickness (MM)	Code 	Code 	Size(CM)
taj mahal pearl	14.5	A83GTHMH-PRL.NoX2P	A83GTHMH-PRL.OoX2P	135x305
taj mahal pearl	6	A62GTHMH-PRL.NoX6P	A62GTHMH-PRL.OoX6P	120x260

Note : 135x305 cm have only one face.



**Porcelain &  
High performance tiles**

# b-materia



floor: b-materia beige 19,5x120 cm




floor: b-materia beige 60x120 cm



b-materia

floor: b-materia beige 19,5x120 cm



# b-materia




b-materia anthracite




b-materia beige

60x120 cm  
23.62"x47.24"



19.5x120 cm  
7.67"x47.24"




mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"



mosaic  
30x60 cm  
11.81"x23.62"



skirting  
9.6x120 cm  
3.77"x 47.24"



step  
30x120 cm  
11.81"x47.24"




riser  
5x120 cm  
1.96"x47.24"



# b-materia




b-materia mosaic (2.5x2.5) 30x30 \*



b-materia mosaic (4.7x4.7) 30x30 \*



b-materia mosaic 30x30 \*



b-materia mosaic 30x40 \*



b-materia mosaic 30x45 \*



b-materia mosaic 30x60 \*



wall: b-materia beige mosaic 2.5x2.5, 30x30 cm  
floor: b-materia beige 19.5x120 cm

Name	Code	Size(CM)	Name	Code	Size(CM)
b-materia anthracite mosaic 30x30 (2.5x2.5)	AGMZZBMTRANT048196	30x30	b-materia beige mosaic 30x30 (2.5x2.5)	AGMZZBMTRBEE048197	30x30
b-materia anthracite mosaic 30x30 (4.7x4.7)	AGMZZBMTRANT048198	30x30	b-materia beige mosaic 30x30 (4.7x4.7)	AGMZZBMTRBEE048199	30x30
b-materia anthracite mosaic 30x30	AGMZZBMTRANT048194	30x30	b-materia beige mosaic 30x30	AGMZZBMTRBEE048195	30x30
b-materia anthracite mosaic 30x40	AGMZZBMTRANT048200	30x40	b-materia beige mosaic 30x40	AGMZZBMTRBEE048201	30x40
b-materia anthracite mosaic 30x45	AGMZZBMTRANT048202	30x45	b-materia beige mosaic 30x45	AGMZZBMTRBEE048203	30x45
b-materia anthracite mosaic 30x60	AGMZZBMTRANT048498	30x60	b-materia beige mosaic 30x60	AGMZZBMTRBEE048499	30x60
b-materia anthracite skirting	AGSZZBMTRANT048102	9.6x120	b-materia beige skirting	AGSZZBMTRBEE048103	9.6x120
b-materia anthracite step	AGTZZBMTRANT049106	30x120	b-materia beige step	AGTZZBMTRBEE049107	30x120
b-materia anthracite riser	AGRZZBMTRANT049111	5x120	b-materia beige riser	AGRZZBMTRBEE049112	5x120

\* Available in all colours

Name	Code	Size(CM)
b-materia anthracite	A12GBMTR#ANT.A6X5R	60x120
b-materia beige	A12GBMTR#BEE.A6X5R	60x120
b-materia anthracite	A99GBMTR#ANT.A6X5R	19.5x120
b-materia beige	A99GBMTR#BEE.A6X5R	19.5x120

# breccia adige stone



wall: breccia adige stone taupe 60x60 cm



floor: breccia adige stone beige 60x60 cm

breccia adige stone

wall: breccia adige stone white 60x60 cm  
floor: breccia adige stone white 60x60 cm





# breccia adige stone



breccia adige stone white



breccia adige stone beige




breccia adige stone taupe




breccia adige stone brown


80x80 cm  
31.49"x31.49"



60x120 cm  
23.62"x47.24"



60x60 cm  
23.62"x23.62"




mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"



mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"




skirting  
9.6x120 cm  
3.77"x 47.24"



skirting  
9.6x80 cm  
3.77"x31.49"



skirting  
8x60 cm  
3.14"x23.62"



Step  
29.8x60 cm  
11.73"x23.62"




Step  
30x120 cm  
11.81"x47.24"




Riser  
5x120 cm  
1.96"x47.24"



# breccia adige stone



breccia adige stone mosaic (2.5x2.5) 30x30 \*



breccia adige stone mosaic (4.7x4.7) 30x30 \*



breccia adige stone mosaic 30x30 \*



breccia adige stone mosaic 30x40 \*



breccia adige stone mosaic 30x45 \*



breccia adige stone mosaic 30x60 \*



wall: breccia adige stone white mosaic 5x5, 30x30 cm  
Floor: breccia adige stone white mosaic 5x5, 30x30 cm  
breccia adige stone taupe 60x60 cm

Name	Code	Size(CM)	Name	Code	Size(CM)
breccia adige beige mosaic 30x30 (2.5x2.5)	A2MZZBDGSBEE047482	30x30	breccia adige brown mosaic 30x30 (2.5x2.5)	A2MZZBDGSBRN047483	30x30
breccia adige beige mosaic 30x30 (4.7x4.7)	A2MZZBDGSBEE047486	30x30	breccia adige brown mosaic 30x30 (4.7x4.7)	A2MZZBDGSBRN047487	30x30
breccia adige beige mosaic 30x30	A2MZZBDGSBEE047124	30x30	breccia adige brown mosaic 30x30	A2MZZBDGSBRN047125	30x30
breccia adige beige mosaic 30x40	A2MZZBDGSBEE047128	30x40	breccia adige brown mosaic 30x40	A2MZZBDGSBRN047129	30x40
breccia adige beige mosaic 30x45	A2MZZBDGSBEE047290	30x45	breccia adige brown mosaic 30x45	A2MZZBDGSBRN047291	30x45
breccia adige beige mosaic 30x60	A2MZZBDGSBEE047294	30x60	breccia adige brown mosaic 30x60	A2MZZBDGSBRN047295	30x60
breccia adige beige skirting	A2SZZBDGSBEE049921	9.6x120	breccia adige brown skirting	A2SZZBDGSBRN049922	9.6x120
breccia adige beige skirting	A2SZZBDGSBEE049917	9.6x80	breccia adige brown skirting	A2SZZBDGSBRN049918	9.6x80
breccia adige beige skirting	A2SZZBDGSBEE050253	8x60	breccia adige brown skirting	A2SZZBDGSBRN050254	8x60
breccia adige beige step	AGTZZBDGSBEE049181	29.8x60	breccia adige brown step	AGTZZBDGSBRN049182	29.8x60
breccia adige beige step	AGTZZBDGSBEE046622	30x120	breccia adige brown step	AGTZZBDGSBRN046623	30x120
breccia adige beige riser	AGRZZBDGSBEE046626	5x120	breccia adige brown riser	AGRZZBDGSBRN046627	5x120
breccia adige taupe mosaic 30x30 (2.5x2.5)	A2MZZBDGSTPE047484	30x30	breccia adige white mosaic 30x30 (2.5x2.5)	A2MZZBDGSWHE047485	30x30
breccia adige taupe mosaic 30x30 (4.7x4.7)	A2MZZBDGSTPE047488	30x30	breccia adige white mosaic 30x30 (4.7x4.7)	A2MZZBDGSWHE047489	30x30
breccia adige taupe mosaic 30x30	A2MZZBDGSTPE047126	30x30	breccia adige white mosaic 30x30	A2MZZBDGSWHE047127	30x30
breccia adige taupe mosaic 30x40	A2MZZBDGSTPE047130	30x40	breccia adige white mosaic 30x40	A2MZZBDGSWHE047131	30x40
breccia adige taupe mosaic 30x45	A2MZZBDGSTPE047292	30x45	breccia adige white mosaic 30x45	A2MZZBDGSWHE047293	30x45
breccia adige taupe mosaic 30x60	A2MZZBDGSTPE047296	30x60	breccia adige white mosaic 30x60	A2MZZBDGSWHE047297	30x60
breccia adige taupe skirting	A2SZZBDGSTPE049923	9.6x120	breccia adige white skirting	A2SZZBDGSWHE049924	9.6x120
breccia adige taupe skirting	A2SZZBDGSTPE049919	9.6x80	breccia adige white skirting	A2SZZBDGSWHE049920	9.6x80
breccia adige taupe skirting	A2SZZBDGSTPE050255	8x60	breccia adige white skirting	A2SZZBDGSWHE050256	8x60
breccia adige taupe step	AGTZZBDGSTPE049183	29.8x60	breccia adige white step	AGTZZBDGSWHE049184	29.8x60
breccia adige taupe step	AGTZZBDGSTPE046624	30x120	breccia adige white step	AGTZZBDGSWHE046625	30x120
breccia adige taupe riser	AGRZZBDGSTPE046628	5x120	breccia adige white riser	AGRZZBDGSWHE046629	5x120

\* Available in all colours

Name	Code	Size(CM)
breccia adige stone beige	A05GBDGS-BEE.A6X0R	80x80
breccia adige stone brown	A05GBDGS-BRN.A6X0R	80x80
breccia adige stone taupe	A05GBDGS-TPE.A6X0R	80x80
breccia adige stone white	A05GBDGS-WHE.A6X0R	80x80
breccia adige stone beige	A12GBDGS-BEE.A6X5R	60x120
breccia adige stone brown	A12GBDGS-BRN.A6X5R	60x120
breccia adige stone taupe	A12GBDGS-TPE.A6X5R	60x120
breccia adige stone white	A12GBDGS-WHE.A6X5R	60x120
breccia adige stone beige	A06GBDGS-BEE.A6X0R	60x60
breccia adige stone brown	A06GBDGS-BRN.A6X0R	60x60
breccia adige stone taupe	A06GBDGS-TPE.A6X0R	60x60
breccia adige stone white	A06GBDGS-WHE.A6X0R	60x60

# carmo stone



floor: carmo stone anthracite 60x120 cm



wall: carmo stone grey 60x120 cm



carmo stone

wall: carmo stone ivory 60x120 cm

floor: carmo stone taupe 60x120 cm





# carmo stone



carmo stone taupe



carmo stone ivory




carmo stone grey




carmo stone anthracite


100x100 cm  
39.37"x39.37"




60x120 cm  
23.62"x47.24"



60x60 cm  
23.62"x23.62"



60x120 cm  
23.62"x47.24"



>|< 20 mm


mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"




Step  
29.8x60 cm  
11.73"x23.62"



skirting  
8x60 cm  
3.14"x23.62"



skirting  
9.6x120 cm  
3.77"x 47.24"



step  
30x120 cm  
11.81"x47.24"




riser  
5x120 cm  
1.96"x47.24"


# carmo stone



carmo stone mosaic (2.5x2.5) 30x30 \*




carmo stone mosaic (4.7x4.7) 30x30 \*



carmo stone mosaic 30x30 \*



carmo stone mosaic 30x40 \*



carmo stone mosaic 30x45 \*



carmo stone mosaic 30x60 \*

Name	Code	Size(CM)	Name	Code	Size(CM)
carmo stone antracite mosaic 30x30 (2.5x2.5)	AGMZZCMSOANT049568	30x30	carmo stone grey mosaic 30x30 (2.5x2.5)	AGMZZCMSOGRY049569	30x30
carmo stone antracite mosaic 30x30 (4.7x4.7)	AGMZZCMSOANT049572	30x30	carmo stone grey mosaic 30x30 (4.7x4.7)	AGMZZCMSOGRY049573	30x30
carmo stone antracite mosaic 30x30	AGMZZCMSOANT049151	30x30	carmo stone grey mosaic 30x30	AGMZZCMSOGRY049152	30x30
carmo stone antracite mosaic 30x40	AGMZZCMSOANT049155	30x40	carmo stone grey mosaic 30x40	AGMZZCMSOGRY049156	30x40
carmo stone antracite mosaic 30x45	AGMZZCMSOANT048622	30x45	carmo stone grey mosaic 30x45	AGMZZCMSOGRY048623	30x45
carmo stone antracite mosaic 30x60	AGMZZCMSOANT048626	30x60	carmo stone grey mosaic 30x60	AGMZZCMSOGRY048627	30x60
carmo stone antracite skirting	AGSZZCMSOANT048497	9.6x120	carmo stone grey skirting	AGSZZCMSOGRY048542	9.6x120
carmo stone antracite skirting	AGSZZCMSOANT048270	8x60	carmo stone grey skirting	AGSZZCMSOGRY048294	8x60
carmo stone antracite step	AGTZZCMSOANT049034	29.8x60	carmo stone grey step	AGTZZCMSOGRY049035	29.8x60
carmo stone antracite step	AGTZZCMSOANT049064	30x120	carmo stone grey step	AGTZZCMSOGRY049065	30x120
carmo stone antracite riser	AGRZZCMSOANT049068	5x120	carmo stone grey riser	AGRZZCMSOGRY049069	5x120
carmo stone ivory mosaic 30x30 (2.5x2.5)	AGMZZCMSOIVO049570	30x30	carmo stone taupe mosaic 30x30 (2.5x2.5)	AGMZZCMSOTPE049571	30x30
carmo stone ivory mosaic 30x30 (4.7x4.7)	AGMZZCMSOIVO049574	30x30	carmo stone taupe mosaic 30x30 (4.7x4.7)	AGMZZCMSOTPE049575	30x30
carmo stone ivory mosaic 30x30	AGMZZCMSOIVO049153	30x30	carmo stone taupe mosaic 30x30	AGMZZCMSOTPE049154	30x30
carmo stone ivory mosaic 30x40	AGMZZCMSOIVO049157	30x40	carmo stone taupe mosaic 30x40	AGMZZCMSOTPE049158	30x40
carmo stone ivory mosaic 30x45	AGMZZCMSOIVO048624	30x45	carmo stone taupe mosaic 30x45	AGMZZCMSOTPE048625	30x45
carmo stone ivory mosaic 30x60	AGMZZCMSOIVO048628	30x60	carmo stone taupe mosaic 30x60	AGMZZCMSOTPE048629	30x60
carmo stone ivory skirting	AGSZZCMSOIVO048574	9.6x120	carmo stone taupe skirting	AGSZZCMSOTPE048610	9.6x120
carmo stone ivory skirting	AGSZZCMSOIVO048318	8x60	carmo stone taupe skirting	AGSZZCMSOTPE048342	8x60
carmo stone ivory step	AGTZZCMSOIVO049036	29.8x60	carmo stone taupe step	AGTZZCMSOTPE049037	29.8x60
carmo stone ivory step	AGTZZCMSOIVO049066	30x120	carmo stone taupe step	AGTZZCMSOTPE049067	30x120
carmo stone ivory riser	AGRZZCMSOIVO049070	5x120	carmo stone taupe riser	AGRZZCMSOTPE049071	5x120

\* Available in all colours




wall: carmo stone ivory mosaic 30x30 cm

Name	Code	Size(CM)	Code	Size(CM)
carmo stone antracite	A01GCMSO-ANT.M6X0R	100x100	A06GCMSO-ANT.M6X0R	60x60
carmo stone grey	A01GCMSO-GRY.M6X0R	100x100	A06GCMSO-GRY.M6X0R	60x60
carmo stone ivory	A01GCMSO-IVO.M6X0R	100x100	A06GCMSO-IVO.M6X0R	60x60
carmo stone taupe	A01GCMSO-TPE.M6X0R	100x100	A06GCMSO-TPE.M6X0R	60x60

Name	Code	Size(CM)	Code	Size(CM)
carmo stone antracite	A12GCMSO-ANT.M6X5R	60x120	A12GCMSO-ANT.Y6X7R	60x120
carmo stone grey	A12GCMSO-GRY.M6X5R	60x120	A12GCMSO-GRY.Y6X7R	60x120
carmo stone ivory	A12GCMSO-IVO.M6X5R	60x120	A12GCMSO-IVO.Y6X7R	60x120
carmo stone taupe	A12GCMSO-TPE.M6X5R	60x120	A12GCMSO-TPE.Y6X7R	60x120

# creative concrete



floor: creative concrete white 120x120 cm



wall: creative concrete grey 60x120 cm  
floor: creative concrete dark grey 60x60 cm

creative concrete

wall: creative concrete grey 60x120 cm  
floor: creative concrete dark grey 60x60 cm






# creative concrete



creative concrete grey




creative concrete dark grey




creative concrete white

120X120 cm  
47.24"x47.24"




S

80x80 cm  
31.49"x31.49"




LS

60x60 cm  
23.62"x23.62"




LS

60x120 cm  
23.62"x47.24"



LS

60x120 cm  
23.62"x47.24"



>|< 20 mm LS

mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"



skirting  
9.6x80 cm  
3.77"x31.49"




skirting  
8x60 cm  
3.14"x23.62"



Step  
29.8x60 cm  
11.73"x23.62"




skirting  
9.6x120 cm  
3.77"x 47.24"




step  
30x120 cm  
11.81"x47.24"




riser  
5x120 cm  
1.96"x47.24"



# creative concrete




creative concrete mosaic (2.5x2.5) 30x30 \*




creative concrete mosaic (4.7x4.7) 30x30 \*



creative concrete mosaic 30x30 \*



creative concrete mosaic 30x40 \*



creative concrete mosaic 30x45 \*



creative concrete mosaic 30x60 \*


Name	Code	Size(CM)	Name	Code	Size(CM)
creative concrete dark grey mosaic 30x30 (2.5x2.5)	AGMZZCTVCDKG047545	30x30	creative concrete grey mosaic 30x30 (2.5x2.5)	AGMZZCTVCGRY047546	30x30
creative concrete dark grey mosaic 30x30 (4.7x4.7)	AGMZZCTVCDKG047548	30x30	creative concrete grey mosaic 30x30 (4.7x4.7)	AGMZZCTVCGRY047550	30x30
creative concrete dark grey mosaic 30x30	AGMZZCTVCDKG047542	30x30	creative concrete grey mosaic 30x30	AGMZZCTVCGRY047543	30x30
creative concrete dark grey mosaic 30x40	AGMZZCTVCDKG047596	30x40	creative concrete grey mosaic 30x40	AGMZZCTVCGRY047597	30x40
creative concrete dark grey mosaic 30x45	AGMZZCTVCDKG047599	30x45	creative concrete grey mosaic 30x45	AGMZZCTVCGRY047600	30x45
creative concrete dark grey mosaic 30x60	AGMZZCTVCDKG047602	30x60	creative concrete grey mosaic 30x60	AGMZZCTVCGRY047603	30x60
creative concrete dark grey skirting	AGSZZCTVCDKG048709	9.6x120	creative concrete grey skirting	AGSZZCTVCGRY048710	9.6x120
creative concrete dark grey skirting	AGSZZCTVCDKG050333	8x60	creative concrete grey skirting	AGSZZCTVCGRY050334	8x60
creative concrete dark grey step	AGTZZCTVCDKG049185	29.8x60	creative concrete grey step	AGTZZCTVCGRY049186	29.8x60
creative concrete dark grey step	AGTZZCTVCDKG046648	30x120	creative concrete grey step	AGTZZCTVCGRY046649	30x120
creative concrete dark grey riser	AGRZZCTVCDKG046651	5x120	creative concrete grey riser	AGRZZCTVCGRY046652	5x120
creative concrete white mosaic 30x30 (2.5x2.5)	AGMZZCTVCWHE047547	30x30			
creative concrete white mosaic 30x30 (4.7x4.7)	AGMZZCTVCWHE047549	30x30			
creative concrete white mosaic 30x30	AGMZZCTVCWHE047544	30x30			
creative concrete white mosaic 30x40	AGMZZCTVCWHE047598	30x40			
creative concrete white mosaic 30x45	AGMZZCTVCWHE047601	30x45			
creative concrete white mosaic 30x60	AGMZZCTVCWHE047604	30x60			
creative concrete white skirting	AGSZZCTVCWHE048711	9.6x120			
creative concrete white skirting	AGSZZCTVCWHE050335	8x60			
creative concrete white step	AGTZZCTVCWHE049187	29.8x60			
creative concrete white step	AGTZZCTVCWHE046650	30x120			
creative concrete white riser	AGRZZCTVCWHE046653	5x120			

\* Available in all colours



wall: creative concrete grey mosaic 30x40 cm

Name	Code	Size(CM)	Code	Size(CM)
creative concrete dark grey	A22GCTVC-DKG.MoX5R	120x120	A06GCTVC-DKG.A6X0R	60x60
creative concrete grey	A22GCTVC-GRY.MoX5R	120x120	A06GCTVC-GRY.A6X0R	60x60
creative concrete white	A22GCTVC-WHE.MoX5R	120x120	A06GCTVC-WHE.A6X0R	60x60
creative concrete dark grey	A05GCTVC-DKG.A6X0R	80x80		
creative concrete grey	A05GCTVC-GRY.A6X0R	80x80		
creative concrete white	A05GCTVC-WHE.A6X0R	80x80		

Name	Code	Size(CM)	Code 	Size(CM)
creative concrete dark grey	A12GCTVC-DKG.A6X5R	60x120	A12GCTVC-DKG.Y6X7R	60x120
creative concrete grey	A12GCTVC-GRY.A6X5R	60x120	A12GCTVC-GRY.Y6X7R	60x120
creative concrete white	A12GCTVC-WHE.A6X5R	60x120	A12GCTVC-WHE.Y6X7R	60x120

elegant wood

wall: milano stone grey 120x280 cm  
floor: elegant wood natural 19,5x120 cm





# elegant wood



elegant wood brown



elegant wood juta




elegant wood honey



elegant wood natural

19.5x120 cm  
7.67"x47.24"



Name	Code	Size(CM)
elegant wood honey	A99GEGTW#HNY.A6X5R	19.5x120
elegant wood natural	A99GEGTW#NUR.A6X5R	19.5x120
elegant wood brown	A99GEGTW#BRN.A6X5R	19.5x120
elegant wood juta	A99GEGTW#JTA.A6X5R	19.5x120

essential wood



wall and floor: essential wood natural 19,5x120 cm

# essential wood




19.5x120 cm  
7.67"x47.24"



essential wood natural

Name	Code	Size(CM)
essential wood natural	A99GESTW#NUR.A6X5R	19,5x120

# harbor stone



floor: harbor stone beige 100x100 cm,  
harbor stone white 60x120 cm (outdoor)



wall: harbor stone grey 60x120 cm  
floor: harbor stone ivory 60x60 cm

harbor stone

wall: harbor stone beige 100x100 cm,  
floor: harbor stone beige 100x100 cm,  
harbor stone white 60x120 cm (outdoor)



harbor stone

wall: harbor stone grey 60x120 cm  
floor: harbor stone ivory 60x60 cm





# harbor stone



harbor stone ivory




harbor stone beige




harbor stone grey


100x100 cm  
39.37"x39.37"




60x120 cm  
23.62"x47.24"



60x60 cm  
23.62"x23.62"



60x120 cm  
23.62"x47.24"



>|< 20 mm


mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"




Step  
29.8x60 cm  
11.73"x23.62"



skirting  
8x60 cm  
3.14"x23.62"



skirting  
9.6x120 cm  
3.77"x 47.24"




step  
30x120 cm  
11.81"x47.24"



riser  
5x120 cm  
1.96"x47.24"

# harbor stone



harbor stone mosaic (2.5x2.5) 30x30 \*



harbor stone mosaic (4.7x4.7) 30x30 \*



harbor stone mosaic 30x30 \*



harbor stone mosaic 30x40 \*



harbor stone mosaic 30x45 \*



harbor stone mosaic 30x60 \*

Name	Code	Size(CM)	Name	Code	Size(CM)
harbor stone beige mosaic 30x30 (2.5x2.5)	AGMZZHBSNBEE047076	30x30	harbor stone grey mosaic 30x30 (2.5x2.5)	AGMZZHBSNGRY047077	30x30
harbor stone beige mosaic 30x30 (4.7x4.7)	AGMZZHBSNBEE047079	30x30	harbor stone grey mosaic 30x30 (4.7x4.7)	AGMZZHBSNGRY047080	30x30
harbor stone beige mosaic 30x30	AGMZZHBSNGRY047074	30x30	harbor stone grey mosaic 30x30	AGMZZHBSNBEE047073	30x30
harbor stone beige mosaic 30x40	AGMZZHBSNBEE047020	30x40	harbor stone grey mosaic 30x40	AGMZZHBSNGRY047021	30x40
harbor stone beig emosaic 30x45	AGMZZHBSNBEE047023	30x45	harbor stone grey mosaic 30x45	AGMZZHBSNGRY047024	30x45
harbor stone beige mosaic 30x60	AGMZZHBSNBEE047026	30x60	harbor stone grey mosaic 30x60	AGMZZHBSNGRY047027	30x60
harbor stone beige skirting	AGSZZHBSNBEE050149	9.6x120	harbor stone grey skirting	AGSZZHBSNGRY050150	9.6x120
harbor stone beige skirting	AGSZZHBSNBEE050407	8x60	harbor stone grey skirting	AGSZZHBSNGRY050408	8x60
harbor stone beige step	AGTZZHBSNBEE049592	29.8x60	harbor stone grey step	AGTZZHBSNGRY049593	29.8x60
harbor stone beige step	AGTZZHBSNBEE046672	30x120	harbor stone grey step	AGTZZHBSNGRY046673	30x120
harbor stone beige riser	AGRZZHBSNBEE046675	5x120	harbor stone grey riser	AGRZZHBSNGRY046676	5x120
harbor stone ivory mosaic 30x30 (2.5x2.5)	AGMZZHBSNIVO047078	30x30			
harbor stone ivory mosaic 30x30 (4.7x4.7)	AGMZZHBSNIVO047081	30x30			
harbor stone ivory mosaic 30x30	AGMZZHBSNIVO047075	30x30			
harbor stone ivory mosaic 30x40	AGMZZHBSNIVO047022	30x40			
harbor stone ivory mosaic 30x45	AGMZZHBSNIVO047025	30x45			
harbor stone ivory mosaic 30x60	AGMZZHBSNIVO047028	30x60			
harbor stone ivory skirting	AGSZZHBSNIVO050151	9.6x120			
harbor stone ivory skirting	AGSZZHBSNIVO050409	8x60			
harbor stone ivory step	AGTZZHBSNIVO049594	29.8x60			
harbor stone ivory step	AGTZZHBSNIVO046674	30x120			
harbor stone ivory riser	AGRZZHBSNIVO046677	5x120			

\* Available in all colours



wall: harbor stone beige mosaic 2.5x2.5, 30x30 cm  
floor: harbor stone ivory 60x60 cm

Name	Code	Size(CM)	Code	Size(CM)
harbor stone beige	A01GHBSN-BEE.M6X0R	100x100	A06GHBSN-BEE.M6X0R	60x60
harbor stone grey	A01GHBSN-GRY.M6X0R	100x100	A06GHBSN-GRY.M6X0R	60x60
harbor stone ivory	A01GHBSN-IVO.M6X0R	100x100	A06GHBSN-IVO.M6X0R	60x60

Name	Code	Size(CM)	Code	Size(CM)
harbor stone beige	A12GHBSN-BEE.M6X5R	60x120	A12GHBSN-BEE.Y6X7R	60x120
harbor stone grey	A12GHBSN-GRY.M6X5R	60x120	A12GHBSN-GRY.Y6X7R	60x120
harbor stone ivory	A12GHBSN-IVO.M6X5R	60x120	A12GHBSN-IVO.Y6X7R	60x120



# loft concrete



floor: loft concrete light beige 80x80 cm



wall: loft concrete light beige and loft concrete light beige decor 60x120 cm, counter: loft concrete ivory decor 60x60 cm

loft concrete



wall: loft concrete light beige and loft concrete light beige decor 60x120 cm,  
counter: loft concrete ivory decor 60x60 cm  
floor: loft concrete silver grey 60x120 cm


# loft concrete



loft concrete silver grey



loft concrete silver grey decor



loft concrete dark grey \*



loft concrete dark grey decor



loft concrete warm grey



loft concrete warm grey decor



loft concrete ivory \*



loft concrete ivory decor



loft concrete light beige



loft concrete light beige decor




loft concrete greige \*




loft concrete greige decor




120X120 cm  
47.24"x47.24"



60x120 cm  
23.62"x47.24"



80x80 cm  
31.49"x31.49"



60x60 cm  
23.62"x23.62"




mosaic  
30x40 cm  
11.81"x15.74"



mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x30 cm  
11.81"x11.81"




mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"




mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



skirting  
9.6x120 cm  
3.77"x 47.24"



skirting  
9.6x80 cm  
3.77"x31.49"



skirting  
8x60 cm  
3.14"x23.62"



step  
30x120 cm  
11.81"x47.24"




riser  
5x120 cm  
1.96"x47.24"



\* Available in 120x120

# loft concrete




loft concrete mosaic (2.5x2.5)  
30x30 \*




loft concrete mosaic (4.7x4.7)  
30x30 \*



loft concrete mosaic  
30x40 \*



loft concrete mosaic  
30x30 \*



loft concrete mosaic  
30x45 \*



loft concrete mosaic  
30x60 \*

\* Available in all colours

Name	Code	Size(CM)	Name	Code	Size(CM)
loft concrete silver grey	A22GLFTC-IVO.MoX5R	120x120	-	-	-
loft concrete dark grey	A22GLFTC-GRG.MoX5R	120x120	-	-	-
loft concrete greige	A22GLFTC-DKG.MoX5R	120x120	-	-	-
loft concrete ivory	A12GLFTC-IVO.M6X5R	60x120	loft concrete ivory decor	A12GLFTC-IVO.MDX5R	60x120
loft concrete light beige	A12GLFTC-LBE.M6X5R	60x120	loft concrete light beige decor	A12GLFTC-LBE.MDX5R	60x120
loft concrete silver grey	A12GLFTC-SIR.M6X5R	60x120	loft concrete silver grey decor	A12GLFTC-SIR.MDX5R	60x120
loft concrete dark grey	A12GLFTC-DKG.M6X5R	60x120	loft concrete dark grey decor	A12GLFTC-DKG.MDX5R	60x120
loft concrete warm grey	A12GLFTC-WGY.M6X5R	60x120	loft concrete warm grey decor	A12GLFTC-WGY.MDX5R	60x120
loft concrete greige	A12GLFTC-GRG.M6X5R	60x120	loft concrete greige decor	A12GLFTC-GRG.MDX5R	60x120
loft concrete ivory	A05GLFTC-IVO.M6XoR	80x80	loft concrete ivory decor	A05GLFTC-IVO.MDXoR	80x80
loft concrete light beige	A05GLFTC-LBE.M6XoR	80x80	loft concrete light beige decor	A05GLFTC-LBE.MDXoR	80x80
loft concrete silver grey	A05GLFTC-SIR.M6XoR	80x80	loft concrete silver grey decor	A05GLFTC-SIR.MDXoR	80x80
loft concrete dark grey	A05GLFTC-DKG.M6XoR	80x80	loft concrete dark grey decor	A05GLFTC-DKG.MDXoR	80x80
loft concrete warm grey	A05GLFTC-WGY.M6XoR	80x80	loft concrete warm grey decor	A05GLFTC-WGY.MDXoR	80x80
loft concrete greige	A05GLFTC-GRG.M6XoR	80x80	loft concrete greige decor	A05GLFTC-GRG.MDXoR	80x80
loft concrete ivory	A06GLFTC-IVO.M6XoR	60x60	loft concrete ivory decor	A06GLFTC-IVO.MDXoR	60x60
loft concrete light beige	A06GLFTC-LBE.M6XoR	60x60	loft concrete light beige decor	A06GLFTC-LBE.MDXoR	60x60
loft concrete silver grey	A06GLFTC-SIR.M6XoR	60x60	loft concrete silver grey decor	A06GLFTC-SIR.MDXoR	60x60
loft concrete dark grey	A06GLFTC-DKG.M6XoR	60x60	loft concrete dark grey decor	A06GLFTC-DKG.MDXoR	60x60
loft concrete warm grey	A06GLFTC-WGY.M6XoR	60x60	loft concrete warm grey decor	A06GLFTC-WGY.MDXoR	60x60
loft concrete greige	A06GLFTC-GRG.M6XoR	60x60	loft concrete greige decor	A06GLFTC-GRG.MDXoR	60x60

**Note:** Proposed accessories produced upon request.

# mimesis



floor: mimesis anthracite 120x120 cm



wall: mimesis ivory decor 60x120 cm,  
mimesis ivory decor 60x120 cm

mimesis

wall: mimesis ivory decor 60x120 cm, mimesis ivory decor 60x120 cm,  
mimesis ivory decor 60x60 cm  
floor and counter wall: mimesis anthracite 120x120 cm



# mimesis



mimesis rust \*



mimesis rust decor

HS



mimesis brown



mimesis brown decor

HS



mimesis anthracite \*



mimesis anthracite decor

HS



mimesis grey \*



mimesis grey decor

HS



mimesis ivory \*




mimesis ivory decor

HS


\* Available in 120x120 cm, 90x180 cm and 100x100 cm

120X120 cm  
47.24"x47.24"




>|< 7 mm S

90x180 cm  
35.43"x70.86"




>|< 9 mm

100x100 cm  
39.37"x39.37"




LS

60x120 cm  
23.62"x47.24"



LS

60x60 cm  
23.62"x23.62"



LS

mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"



mosaic  
30x60 cm  
11.81"x23.62"



skirting  
9.6x120 cm  
3.77"x 47.24"



skirting  
8x60 cm  
3.14"x23.62"




Step  
29.8x60 cm  
11.73"x23.62"




step  
30x120 cm  
11.81"x47.24"



riser  
5x120 cm  
1.96"x47.24"



# mimesis



mimesis mosaic (2.5x2.5)  
30x30 \*



mimesis mosaic (4.7x4.7)  
30x30 \*



mimesis mosaic  
30x40 \*



mimesis mosaic  
30x30 \*



mimesis mosaic  
30x45 \*



mimesis mosaic  
30x60 \*

\* Available in all colours

Name	Code	Size(CM)	Name	Code	Size(CM)
mimesis rust	A22GMIMS-RST.MoXGR	120x120	mimesis rust	A93GMIMS-RST.MoX5R	90x180
mimesis grey	A22GMIMS-GRY.MoXGR	120x120	mimesis grey	A93GMIMS-GRY.MoX5R	90x180
mimesis anthracite	A22GMIMS-ANT.MoXGR	120x120	mimesis anthracite	A93GMIMS-ANT.MoX5R	90x180
mimesis ivory	A22GMIMS-IVO.MoXGR	120x120	mimesis ivory	A93GMIMS-IVO.MoX5R	90x180
mimesis rust	A01GMIMS-RST.MoXoR	100x100			
mimesis grey	A01GMIMS-GRY.MoXoR	100x100			
mimesis anthracite	A01GMIMS-ANT.MoXoR	100x100			
mimesis ivory	A01GMIMS-IVO.MoXoR	100x100			
mimesis rust	A12GMIMS-RST.MoX5R	60x120	mimesis rust decor	A12GMIMS-RST.MGX5R	60x120
mimesis brown	A12GMIMS-BRN.MoX5R	60x120	mimesis brown decor	A12GMIMS-BRN.MGX5R	60x120
mimesis grey	A12GMIMS-GRY.MoX5R	60x120	mimesis grey decor	A12GMIMS-GRY.MGX5R	60x120
mimesis anthracite	A12GMIMS-ANT.MoX5R	60x120	mimesis anthracite decor	A12GMIMS-ANT.MGX5R	60x120
mimesis ivory	A12GMIMS-IVO.MoX5R	60x120	mimesis ivory decor	A12GMIMS-IVO.MGX5R	60x120
mimesis rust	A05GMIMS-RST.MoXoR	80x80	mimesis rust decor	A05GMIMS-RST.MGXoR	80x80
mimesis brown	A05GMIMS-BRN.MoXoR	80x80	mimesis brown decor	A05GMIMS-BRN.MGXoR	80x80
mimesis grey	A05GMIMS-GRY.MoXoR	80x80	mimesis grey decor	A05GMIMS-GRY.MGXoR	80x80
mimesis anthracite	A05GMIMS-ANT.MoXoR	80x80	mimesis anthracite decor	A05GMIMS-ANT.MGXoR	80x80
mimesis ivory	A05GMIMS-IVO.MoXoR	80x80	mimesis ivory decor	A05GMIMS-IVO.MGXoR	80x80
mimesis rust	A06GMIMS-RST.MoX5R	60x60	mimesis rust decor	A06GMIMS-RST.MGX5R	60x60
mimesis brown	A06GMIMS-BRN.MoX5R	60x60	mimesis brown decor	A06GMIMS-BRN.MGX5R	60x60
mimesis grey	A06GMIMS-GRY.MoX5R	60x60	mimesis grey decor	A06GMIMS-GRY.MGX5R	60x60
mimesis anthracite	A06GMIMS-ANT.MoX5R	60x60	mimesis anthracite decor	A06GMIMS-ANT.MGX5R	60x60
mimesis ivory	A06GMIMS-IVO.MoX5R	60x60	mimesis ivory decor	A06GMIMS-IVO.MGX5R	60x60

**Note:** Proposed accessories produced upon request.



sea wood

floor: sea wood beige 19,5x120 cm



# sea wood



sea wood brown




sea wood beige



sea wood natural

19.5x120 cm  
7.67"x47.24"



Name	Code	Size(CM)
sea wood beige	A99GSEAW#BEE.A6X5R	19,5x120
sea wood brown	A99GSEAW#BRN.A6X5R	19,5x120
sea wood natural	A99GSEAW#NUR.A6X5R	19,5x120

# steam stone



floor: steam stone white 60x60 cm



wall: steam stone grey 30x60 cm

steam stone

wall: steam stone white 60x120 cm, elegant wood natural 19,5x120 cm  
floor: steam stone white 60x60 cm



steam stone

wall: steam stone grey 30x60 cm  
floor: steam stone grey 60x120 cm





# steam stone



steam stone grey



steam stone dark grey




steam stone ivory




steam stone white

120X120 cm  
47.24"x47.24"




S

80x80 cm  
31.49"x31.49"



LS


60x60 cm  
23.62"x23.62"



LS




60x120 cm  
23.62"x47.24"



LS


60x120 cm  
23.62"x47.24"



LS

>|< 20 mm

30x60 cm  
11.81"x23.62"



LS


mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"




skirting  
9.6x120 cm  
3.77"x 47.24"



skirting  
9.6x80 cm  
3.77"x31.49"



skirting  
8x60 cm  
3.14"x23.62"



Step  
29.8x60 cm  
11.73"x23.62"




step  
30x120 cm  
11.81"x47.24"




riser  
5x120 cm  
1.96"x47.24"


# steam stone




steam stone mosaic (2.5x2.5) 30x30 \*




steam stone mosaic (4.7x4.7) 30x30 \*




steam stone mosaic 30x30 \*



steam stone mosaic 30x40 \*



steam stone mosaic 30x45 \*



steam stone mosaic 30x60 \*

Name	Code	Size(CM)	Name	Code	Size(CM)
steam stone dark grey mosaic 30x30 (2.5x2.5)	AGMZZSTMEDKG044466	30x30	steam stone grey mosaic 30x30 (2.5x2.5)	AGMZZSTMEGRY044465	30x30
steam stone dark grey mosaic 30x30 (4.7x4.7)	AGMZZSTMEDKG044698	30x30	steam stone grey mosaic 30x30 (4.7x4.7)	AGMZZSTMEGRY044697	30x30
steam stone dark grey mosaic 30x30	AGMZZSTMEDKG046234	30x30	steam stone grey mosaic 30x30	AGMZZSTMEGRY046233	30x30
steam stone dark grey mosaic 30x40	AGMZZSTMEDKG046215	30x40	steam stone grey mosaic 30x40	AGMZZSTMEGRY046214	30x40
steam stone dark grey mosaic 30x45	AGMZZSTMEDKG045934	30x45	steam stone grey mosaic 30x45	AGMZZSTMEGRY045933	30x45
steam stone dark grey mosaic 30x60	AGMZZSTMEDKG045838	30x60	steam stone grey mosaic 30x60	AGMZZSTMEGRY045837	30x60
steam stone dark grey skirting	AGSZZSTMEDKG049722	9.6x120	steam stone grey skirting	AGSZZSTMEGRY049721	9.6x120
steam stone dark grey skirting	AGSZZSTMEDKG049718	9.6x80	steam stone grey skirting	AGSZZSTMEGRY049717	9.6x80
steam stone dark grey skirting	AGSZZSTMEDKG043670	8x60	steam stone grey skirting	AGSZZSTMEGRY043669	8x60
steam stone dark grey step	AGTZZSTMEDKG048976	29.8x60	steam stone grey step	AGTZZSTMEGRY048975	29.8x60
steam stone dark grey step	AGTZZSTMEDKG044530	30x120	steam stone grey step	AGTZZSTMEGRY044529	30x120
steam stone dark grey riser	AGRZZSTMEDKG044534	5x120	steam stone grey riser	AGRZZSTMEGRY044533	5x120
steam stone ivory mosaic 30x30 (2.5x2.5)	AGMZZSTMIV0044468	30x30	steam stone white mosaic 30x30 (2.5x2.5)	AGMZZSTMWHE044467	30x30
steam stone ivory mosaic 30x30 (4.7x4.7)	AGMZZSTMIV0044700	30x30	steam stone white mosaic 30x30 (4.7x4.7)	AGMZZSTMWHE044699	30x30
steam stone ivory mosaic 30x30	AGMZZSTMIV0046236	30x30	steam stone white mosaic 30x30	AGMZZSTMWHE046235	30x30
steam stone ivory mosaic 30x40	AGMZZSTMIV0046217	30x40	steam stone white mosaic 30x40	AGMZZSTMWHE046216	30x40
steam stone ivory mosaic 30x45	AGMZZSTMIV0045936	30x45	steam stone white mosaic 30x45	AGMZZSTMWHE045935	30x45
steam stone ivory mosaic 30x60	AGMZZSTMIV0045840	30x60	steam stone white mosaic 30x60	AGMZZSTMWHE045839	30x60
steam stone ivory skirting	AGSZZSTMIV0049724	9.6x120	steam stone white skirting	AGSZZSTMWHE049723	9.6x120
steam stone ivory skirting	AGSZZSTMIV0049720	9.6x80	steam stone white skirting	AGSZZSTMWHE049719	9.6x80
steam stone ivory skirting	AGSZZSTMIV0043672	8x60	steam stone white skirting	AGSZZSTMWHE043671	8x60
steam stone ivory step	AGTZZSTMIV0048978	29.8x60	steam stone white step	AGTZZSTMWHE048977	29.8x60
steam stone ivory step	AGTZZSTMIV0044532	30x120	steam stone white step	AGTZZSTMWHE044531	30x120
steam stone ivory riser	AGRZZSTMIV0044536	5x120	steam stone white riser	AGRZZSTMWHE044535	5x120

\* Available in all colours



wall: steam stone ivory mosaic 30x45 cm

Name	Code	Size(CM)	Code	Size(CM)
steam stone dark grey	A22GSTME-DKG.M0X5R	120x120	A05GSTME-DKG.M6X0R	80x80
steam stone grey	A22GSTME-GRY.M0X5R	120x120	A05GSTME-GRY.M6X0R	80x80
steam stone ivory	A22GSTME-IVO.M0X5R	120x120	A05GSTME-IVO.M6X0R	80x80
steam stone white	A22GSTME-WHE.M0X5R	120x120	A05GSTME-WHE.M6X0R	80x80
steam stone dark grey	A06GSTME-DKG.M6X0R	60X60	A09GSTME-DKG.M6X0R	30X60
steam stone grey	A06GSTME-GRY.M6X0R	60X60	A09GSTME-GRY.M6X0R	30X60
steam stone ivory	A06GSTME-IVO.M6X0R	60X60	A09GSTME-IVO.M6X0R	30X60
steam stone white	A06GSTME-WHE.M6X0R	60X60	A09GSTME-WHE.M6X0R	30X60
Name	Code	Size(CM)	Code	Size(CM)
steam stone dark grey	A12GSTME-DKG.M6X5R	60x120	A12GSTME-DKG.Y6X7R	60x120
steam stone grey	A12GSTME-GRY.M6X5R	60x120	A12GSTME-GRY.Y6X7R	60x120
steam stone ivory	A12GSTME-IVO.M6X5R	60x120	A12GSTME-IVO.Y6X7R	60x120
steam stone white	A12GSTME-WHE.M6X5R	60x120	A12GSTME-WHE.Y6X7R	60x120

tibur *from* baalbek

wall: tibur baalbek navona 60x120 cm and tibur baalbek silver 60x120 cm,  
floor: tibur baalbek navona 60x120 cm



# tibur *from* baalbek



tibur baalbek classic




tibur baalbek navona




tibur baalbek silver

80x80 cm  
31.49"x31.49"



60x120 cm  
23.62"x47.24"



mosaic  
30x30 cm  
11.81"x11.81"



mosaic 2.5x2.5  
30x30 cm  
11.81"x11.81"



mosaic 4.7x4.7  
30x30 cm  
11.81"x11.81"



mosaic  
30x40 cm  
11.81"x15.74"




mosaic  
30x45 cm  
11.81"x17.71"




mosaic  
30x60 cm  
11.81"x23.62"



skirting  
9.6x120 cm  
3.77"x 47.24"



skirting  
9.6x80 cm  
3.77"x31.49"




step  
30x120 cm  
11.81"x47.24"



riser  
5x120 cm  
1.96"x47.24"



# tibur *from* baalbek



tibur baalbek mosaic (2.5x2.5)  
30x30 \*



tibur baalbek mosaic (4.7x4.7)  
30x30 \*



tibur baalbek mosaic  
30x30 \*



tibur baalbek mosaic  
30x40 \*



tibur baalbek mosaic  
30x45 \*



tibur baalbek mosaic  
30x60 \*


Name	Code	Size(CM)	Name	Code	Size(CM)
tibur baalbek classic mosaic 30x30 (2.5x2.5)	AGMZZTBURCLC048139	30x30	tibur baalbek navona mosaic 30x30 (2.5x2.5)	AGMZZTBURNVB048138	30x30
stibur baalbek classic mosaic 30x30 (4.7x4.7)	AGMZZTBURCLC048142	30x30	tibur baalbek navona mosaic 30x30 (4.7x4.7)	AGMZZTBURNVB048141	30x30
tibur baalbek classic mosaic 30x30	AGMZZTBURCLC048136	30x30	tibur baalbek navona mosaic 30x30	AGMZZTBURNVB048135	30x30
tibur baalbek classic mosaic 30x40	AGMZZTBURCLC047922	30x40	tibur baalbek navona mosaic 30x40	AGMZZTBURNVB047921	30x40
tibur baalbek classic mosaic 30x45	AGMZZTBURCLC047925	30x45	tibur baalbek navona mosaic 30x45	AGMZZTBURNVB047924	30x45
tibur baalbek classic mosaic 30x60	AGMZZTBURCLC047928	30x60	tibur baalbek navona mosaic 30x60	AGMZZTBURNVB047927	30x60
tibur baalbek classic skirting	AGSZZTBURCLC047658	9.6x120	tibur baalbek navona skirting	AGSZZTBURNVB047634	9.6x120
tibur baalbek classic skirting	AGSZZTBURCLC047738	9.6x80	tibur baalbek navona skirting	AGSZZTBURNVB047709	9.6x80
tibur baalbek classic step	AGTZZTBURCLC049109	30x120	tibur baalbek navona step	AGTZZTBURNVB049108	30x120
tibur baalbek classic riser	AGRZZTBURCLC049114	5x120	tibur baalbek navona riser	AGRZZTBURNVB049113	5x120
tibur baalbek silver mosaic 30x30 (2.5x2.5)	AGMZZTBURSIR048140	30x30			
stibur baalbek silver mosaic 30x30 (4.7x4.7)	AGMZZTBURSIR048143	30x30			
tibur baalbek silver mosaic 30x30	AGMZZTBURSIR048137	30x30			
tibur baalbek silver mosaic 30x40	AGMZZTBURSIR047923	30x40			
tibur baalbek silver mosaic 30x45	AGMZZTBURSIR047926	30x45			
tibur baalbek silver mosaic 30x60	AGMZZTBURSIR047929	30x60			
tibur baalbek silver skirting	AGSZZTBURSIR047682	9.6x120			
tibur baalbek silver skirting	AGSZZTBURSIR047771	9.6x80			
tibur baalbek silver step	AGTZZTBURSIR049110	30x120			
tibur baalbek silver riser	AGRZZTBURSIR049115	5x120			

\* Available in all colours



wall: stibur baalbek classic 60x120 cm

Name	Code	Size(CM)
tibur baalbek classic	A05GTBUR-CLC.MoXoR	80x80
tibur baalbek navona	A05GTBUR-NVB.MoXoR	80x80
tibur baalbek silver	A05GTBUR-SIR.MoXoR	80x80
tibur baalbek classic	A12GTBUR-CLC.MoX5R	60x120
tibur baalbek navona	A12GTBUR-NVB.MoX5R	60x120
tibur baalbek silver	A12GTBUR-SIR.MoX5R	60x120



Wall tiles

agora concrete

wall: agora concrete mix decor 40x120 cm,  
agora concrete light tortora decor 40x120 cm  
floor: harbor stone beige 60x60 cm



# agora concrete



agora concrete light sand



agora concrete light sand decor

HS



agora concrete light grey



agora concrete light grey decor

HS



agora concrete light tortora



agora concrete light tortora decor

HS




agora concrete grey



agora concrete mix decor

HS





agora concrete sand



agora concrete tortora

40x120 cm  
15.75"x47.24"



Name	Code	Size(CM)
agora concrete grey	A45RAGRC-GRY.MoXoR	40x120
agora concrete light sand	A45RAGRC-LHS.MoXoR	40x120
agora concrete light grey	A45RAGRC-LIG.MoXoR	40x120
agora concrete light tortora	A45RAGRC-LTR.MoXoR	40x120
agora concrete sand	A45RAGRC-SND.MoXoR	40x120
agora concrete tortora	A45RAGRC-TOR.MoXoR	40x120
agora concrete light sand decor	A45RAGRC-LHS.MTXoR	40x120
agora concrete light grey decor	A45RAGRC-LIG.MTXoR	40x120
agora concrete light tortora decor	A45RAGRC-LTR.MTXoR	40x120
agora concrete mix decor	A45RAGRC-MS2.MDXoR	40x120



draide pro marble

wall: draide pro marble black 40x120 cm,  
draide pro marble black damasco decor 40x120 cm  
floor: steam stone white 120x120 cm



# draide pro marble

40x120 cm  
15.75"x47.24"



draide pro marble white



draide pro marble white

HS



draide pro marble white



draide pro marble mic decor



draide pro marble black



draide pro marble black decor

HS



draide pro marble black damasco decor

Name	Code	Size(CM)
draide pro marble black	A45RDRPM-BLK.MoXoR	40x120
draide pro marble black	A45RDRPM-BLK.MAXoR	40x120
draide pro marble black	A45RDRPM-BLK.MDXoR	40x120
draide pro marble white	A45RDRPM-WHE.MoXoR	40x120
draide pro marble white	A45RDRPM-WHE.MAXoR	40x120
draide pro marble white	A45RDRPM-WHE.MDXoR	40x120
draide pro marble mix decor	A45RDRPM-MS2.MDXoR	40x120

soft stone


wall: soft stone light grey 40x120 cm,  
soft stone light grey decor 40x120 cm  
floor: elegant wood juta 19,5x120 cm





# soft stone

40x120 cm  
15.75"x47.24"



soft stone light grey



soft stone light grey decor



soft stone grey



soft stone grey decor

HS



soft stone light beige



soft stone light beige decor




soft stone beige



soft stone beige decor

HS



Name	Code	Size(CM)
soft stone beige	A45RSFTO-BEE.MoXoR	40x120
soft stone light beige	A45RSFTO-LBE.MoXoR	40x120
soft stone grey	A45RSFTO-GRY.MoXoR	40x120
soft stone light grey	A45RSFTO-LIG.MoXoR	40x120
soft stone beige decor	A45RSFTO-BEE.MLXoR	40x120
soft stone light beige decor	A45RSFTO-LBE.MDXoR	40x120
soft stone grey decor	A45RSFTO-GRY.MLXoR	40x120
soft stone light grey decor	A45RSFTO-LIG.MDXoR	40x120


metamorfofi brick

wall: metamorfofi brick cotton 7x28 cm, metamorfofi jungle green decor 120x260 cm  
counter wall: metamorfofi brick olive 7x28 cm  
floor: metamorfofi cotton 120x120 cm



# metamorfoosi brick

7x28 cm  
2.75"x11.0236"



metamorfoosi brick cotton



metamorfoosi brick cord



metamorfoosi brick cloud



metamorfoosi brick fog



metamorfoosi brick dusk



metamorfoosi brick midnight



metamorfoosi brick bloom



metamorfoosi brick grape




metamorfoosi brick olive



Name	Code	Size(CM)
metamorfoosi brick bloom	A72SMTBR-BLM.M6XoU	7x28
metamorfoosi brick cloud	A72SMTBR-COU.M6XoU	7x28
metamorfoosi brick cord	A72SMTBR-CRD.M6XoU	7x28
metamorfoosi brick cotton	A72SMTBR-CTT.M6XoU	7x28
metamorfoosi brick dusk	A72SMTBR-DSK.M6XoU	7x28
metamorfoosi brick fog	A72SMTBR-FGG.M6XoU	7x28
metamorfoosi brick grape	A72SMTBR-GPE.M6XoU	7x28
metamorfoosi brick midnight	A72SMTBR-MDN.M6XoU	7x28
metamorfoosi brick olive	A72SMTBR-OLE.M6XoU	7x28

## dark ink brick

7x28 cm  
2.75"x11.0236"



dark ink brick black



wall:dark ink brick black 7x28 cm

Name	Code	Size(CM)
dark ink brick black	A72SDKIB-BLK.MoXoU	7x28

hydo mosaic




wall: hydo mosaic white 5x5, hydo mosaic dark beige 5x5, 30x30 cm  
floor: hydo mosaic light beige 5x5, 30x30 cm




hydo mosaic

wall: hydo mosaic white 5x5, 30x30 cm  
floor: hydo mosaic white 5x5, hydo mosaic dark beige 5x5, 30x30 cm


# hydo mosaic




hydo mosaic blue 5x5




hydo mosaic dark blue 5x5



hydo mosaic sky blue 5x5



hydo mosaic medium blue 5x5



hydo mosaic navy blue 5x5



hydo mosaic black 5x5




hydo mosaic dark beige 5x5



hydo mosaic beige 5x5




hydo mosaic dark grey 5x5




hydo mosaic grey 5x5




hydo mosaic white 5x5




hydo mosaic blue 2.5x2.5




hydo mosaic dark blue 2.5x2.5




hydo mosaic sky blue 2.5x2.5



hydo mosaic medium blue 2.5x2.5




hydo mosaic navy blue 2.5x2.5




hydo mosaic black 2.5x2.5




hydo mosaic dark beige 2.5x2.5




hydo mosaic beige 2.5x2.5



hydo mosaic dark grey 2.5x2.5




hydo mosaic grey 2.5x2.5




hydo mosaic white 2.5x2.5


30x30 cm  
15.75"x47.24"



natural



natural



Name	Thickness (MM)	Code	Code	Size(CM)
hydo beige 5x5	-	AM2SHYDO-BEE.MoXoU	AM2SHYDO-BEE.HoXoU	30x30
hydo black 5x5	-	AM2SHYDO-BLK.MoXoU	AM2SHYDO-BLK.HoXoU	30x30
hydo blue 5x5	-	AM2SHYDO-BLE.MoXoU	AM2SHYDO-BLE.HoXoU	30x30
hydo dark beige 5x5	-	AM2SHYDO-DBE.MoXoU	AM2SHYDO-DBE.HoXoU	30x30
hydo dark blue 5x5	-	AM2SHYDO-DAB.MoXoU	AM2SHYDO-DAB.HoXoU	30x30
hydo dark grey 5x5	-	AM2SHYDO-DKG.MoXoU	AM2SHYDO-DKG.HoXoU	30x30
hydo grey 5x5	-	AM2SHYDO-GRY.MoXoU	AM2SHYDO-GRY.HoXoU	30x30
hydo medium blue 5x5	-	AM2SHYDO-MEB.MoXoU	AM2SHYDO-MEB.HoXoU	30x30
hydo navy blue 5x5	-	AM2SHYDO-NAY.MoXoU	AM2SHYDO-NAY.HoXoU	30x30
hydo sky blue 5x5	-	AM2SHYDO-SKB.MoXoU	AM2SHYDO-SKB.HoXoU	30x30
hydo white 5x5	-	AM2SHYDO-WHE.MoXoU	AM2SHYDO-WHE.HoXoU	30x30
hydo beige 2.5x2.5	-	AM1SHYDO-BEE.MoXoU	AM1SHYDO-BEE.HoXoU	30x30
hydo black 2.5x2.5	-	AM1SHYDO-BLK.MoXoU	AM1SHYDO-BLK.HoXoU	30x30
hydo blue 2.5x2.5	-	AM1SHYDO-BLE.MoXoU	AM1SHYDO-BLE.HoXoU	30x30
hydo dark beige 2.5x2.5	-	AM1SHYDO-DBE.MoXoU	AM1SHYDO-DBE.HoXoU	30x30
hydo dark blue 2.5x2.5	-	AM1SHYDO-DAB.MoXoU	AM1SHYDO-DAB.HoXoU	30x30
hydo dark grey 2.5x2.5	-	AM1SHYDO-DKG.MoXoU	AM1SHYDO-DKG.HoXoU	30x30
hydo grey 2.5x2.5	-	AM1SHYDO-GRY.MoXoU	AM1SHYDO-GRY.HoXoU	30x30
hydo medium blue 2.5x2.5	-	AM1SHYDO-MEB.MoXoU	AM1SHYDO-MEB.HoXoU	30x30
hydo navy blue 2.5x2.5	-	AM1SHYDO-NAY.MoXoU	AM1SHYDO-NAY.HoXoU	30x30
hydo sky blue 2.5x2.5	-	AM1SHYDO-SKB.MoXoU	AM1SHYDO-SKB.HoXoU	30x30
hydo white 2.5x2.5	-	AM1SHYDO-WHE.MoXoU	AM1SHYDO-WHE.HoXoU	30x30

## INNOTECH - RAKCERAMICS LAB



Antibacterial solution for healthier environment




Antislip technology for indoor and outdoor application



Technical and versatile surfaces suitable for any kind of usage



Surface capable to absorb and repel heat or cold according to individual needs



3D texture, surfaces, colours in unique materials

## INNOTECH - RAKCERAMICS LAB



Sustainable surfaces and designs made up to 95% of recycled materials




Extra matt surface with no glossy



Body through stone and marble veining



Backlighting high tech



High definition structures using digital technology



## TECHNICAL FEATURES

### PORCELAIN TILES (B1a - GL) :

Porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles. The resulting product is top-quality porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm<sup>2</sup>. The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.1% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 50 N/mm<sup>2</sup> according to UNI EN ISO 10545-4).

Thanks to their low porosity, these porcelain tiles are frost-proof and rated as belonging to the B1a GL class according to the European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 50 N/mm<sup>2</sup> while the required value is 35 N/mm<sup>2</sup>. RAK Ceramics porcelain tiles are available in a wide range of designs, sizes and finishes.

















#### ADVICE ON LAYING

Although our porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives. While installing on wall, the two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

### TECHNICAL CHARACTERISTICS - PORCELAIN TILES (B1a - GL)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications	
				(Rectified)	(Unrectified)
	Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%	+/- 0.3%
	Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 5.0%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%	+/- 0.3%
	Water Absorption	BS EN ISO 10545-3	≤0.5%	≤0.4%	≤0.4%
	Modulus of Rupture	BS EN ISO 10545-4	≥35 N/mm <sup>2</sup>	≥40 N/mm <sup>2</sup>	≥40 N/mm <sup>2</sup>
	Breaking Strength	BS EN ISO 10545-4	≥1300N	≥1500N	≥1600N
	Resistance to surface abrasion	BS EN ISO 10545-6	Manufacturer to state Abrasion Class	PEI Class 2 -5	PEI Class 2 -5
	Linear Thermal Expansion	BS EN ISO 10545-8	≤9x10 <sup>-6</sup> °C <sup>-1</sup>	≤7x10 <sup>-6</sup> °C <sup>-1</sup>	≤7x10 <sup>-6</sup> °C <sup>-1</sup>
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing	No crazing
	Frost Resistance	BS EN ISO 10545-12	No visible damage	No visible damage	No visible damage
	Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 4	Stain removed Min. class 4
	Colour Resistance to UV Light	DIN 51094	No change in color	No change in color	No change in color

**Note :** Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

## TECHNICAL FEATURES

### FULL BODY PORCELAIN TILES (BIA - UGL) :

Full body porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm<sup>2</sup>. The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.1% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 50 N/mm<sup>2</sup> according to UNI EN ISO 10545-4).

Full body porcelain are suitable for heavy traffic areas as they are characterized by a deep abrasion resistance (equal to 140 mm<sup>3</sup> of removed material, as opposed to the 175 mm<sup>3</sup> provided for by the UNI EN ISO 10545-6 standard).

Thanks to their low porosity, these tiles are frost-proof and rated as belonging to the Bia UGL class according to the European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

Chemical acid and base resistance (UNI EN ISO 10545-13) makes full body porcelain tiles suitable for environments where aggressive chemicals are used, e.g. food processing factories, hospitals, chemical or pharmaceutical plants. The full bod porcelain tiles are available in a wide range of sizes and surfaces (slip-resistant finish also available).
















#### ADVICE ON LAYING

Although our full bod porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives. For large sizes over 40x40cm, outdoor and wall installations, the two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

### TECHNICAL CHARACTERISTICS - FULL BODY PORCELAIN TILES (BIA - UGL)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications	
				(Rectified)	(Unrectified)
	Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%	+/- 0.3%
	Thickness	BS EN ISO 10545-2	+/-5.0%	+/- 5.0%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
	Water Absorption	BS EN ISO 10545-3	<=0.5%	<=0.1%	<=0.1%
	Modulus of Rupture	BS EN ISO 10545-4	>=35 N/mm <sup>2</sup>	>=40 N/mm <sup>2</sup>	>=40 N/mm <sup>2</sup>
	Breaking Strength	BS EN ISO 10545-4	>=1300N	>=1500N	>=1600N
	Resistance to deep abrasion	BS EN ISO 10545-7	<=175/mm <sup>3</sup>	<=150/mm <sup>3</sup>	<=150/mm <sup>3</sup>
	Linear Thermal Expansion	BS EN ISO 10545-8	<=9x10 <sup>-6</sup> °C <sup>-1</sup>	<=7x10 <sup>-6</sup> °C <sup>-1</sup>	<=7x10 <sup>-6</sup> °C <sup>-1</sup>
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
	Frost Resistance	BS EN ISO 10545-12	No visible damage	No visible damage	No visible damage
	Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 2	Stain removed Min. class 2
	Colour Resistance to UV Light	DIN 51094	No change in color	No change in color	No change in color

**Note:** Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

## TECHNICAL FEATURES

### RED BODY CERAMIC TILES (BIII):

Red body Ceramic tiles are made with finest quality clays and with chamotte (a ceramic raw material with high percentage of silica). These raw materials are submitted to dry grinding and suitably mixed and wet and then pressed with hydraulic presses. Quick-cycle support firing is obtained via roller kilns reaching temperatures of approximately 1100 °C. After biscuit glazing, the vitrified product is sintered in a single-layer roller kiln at approximately 1030 °C. The resulting wall tiles have an average bending strength that is higher than 15/ m<sup>2</sup> in accordance with the UNI EN ISO10545-4 standard and a water absorption level that is higher than 10 %; they belong to the BIII (GL) group according to the UNI EN 14411 standard. This class of products shows virtually no shrinkage during firing; therefore such dimensional consistency results in extremely easy laying.















#### ADVICE ON LAYING

Ceramic Red body tiles can be laid using either tile adhesives or cement mortar. Under no circumstances should the tiles be wet before laying when using acrylic or vinyl resin based adhesives or two- component organic solvent based adhesives. When laying large sized tiles it is best to adopt the two layer spreading method and, when the laying surface is very large, to provide for suitable expansion joints which must not be spaced more than 4-5 linear meters apart from one another.

#### IMPORTANT POINTS TO REMEMBER WHILE LAYING THESE TILES

When laying on wet concrete or plaster, leave to dry for at least one week for each centimetre of thickness.  
 When laying on brick, never lay on tile adhesive measuring more than 4-5 mm in thickness. For laying on flexible supports (for example plasterboard panels, polymer panels, etc.) which may result in movement of the tiles, we advise laying on tile adhesive measuring no more than 2-3 mm in thickness and to use class C2 or D1 glues.  
 For laying on waterproof brick, which prevents the release of damp, we advise laying on tile adhesive measuring no more than 3 mm in thickness and to use class C2 or D1 glues.  
 Avoid laying without expansion joints or joints where stress due to expansion is released directly onto the tile.

### TECHNICAL CHARACTERISTICS - RED BODY CERAMIC TILES (BIII)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications
	Length & Width	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Thickness	BS EN ISO 10545-2	+/-10%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.3%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+0.5% / -0.3%	+/- 0.3%
	Water Absorption	BS EN ISO 10545-3	10% < E <= 20%	10% <E <= 18%
	Modulus of Rupture	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=12 N/mm <sup>2</sup>	>=16 N/mm <sup>2</sup>
	Thickness < = 7.5mm		>=15 N/mm <sup>2</sup>	>=16 N/mm <sup>2</sup>
	Breaking Strength	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=600N	>=650N
	Thickness < = 7.5mm		>=200N	>=400N
	Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	Class 2 - 4
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect
	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing
	Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 4
	Scratch Hardness : (Moh's)	EN 101	-	4 - 6

**Note :** Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

## TECHNICAL FEATURES

### GRES WHITE BODY TILES (BIIA) :

Gres white body tiles are created by mixing raw materials including high quality white or red clays, quartz and feldspar in wet grinding ball mills. After grinding, a clay-based suspension of these materials called a slip is fed out of the mill then spray-dried to remove excess moisture. Following the spray drying process, the free flowing powder is pressed using advanced hydraulic presses with a specific pressing power exceeding 300 kg/cm<sup>2</sup> in order to obtain a compact gres body. Once dried, the tiles are coated and decorated with glazes to make them aesthetically pleasing and meet our customers design requirements.

The glazed tile body is then fired in roller kilns where temperatures of approximately 1200 °C are reached. The resulting product is normally a medium-to-low porosity (3% to 5%) tile, in compliance with the International Standard ISO 13006 and European Standard UNI EN 14411 standard and rated as belonging to the BIIa GL group with notable technological specifications such as the product flexural strength (average value: 30N/mm<sup>2</sup> according to UNI EN ISO 10545-4).

As for wear resistance, this will depend on the type and colour of glazing and may change according to different products or collections. As a general rule, bright finishes are not recommended for heavy traffic floors or rooms opening onto outdoor areas, where sand or other abrasive materials are more likely to be brought in.

#### ADVICE ON LAYING















Our gres white body tiles can be laid using either traditional cement mortar or modern tile adhesives. When laying large size tiles, it is best to adopt the two-layer spreading system to ensure the adhesive is spread over 90 % of the tile surface.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion, however, do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to always incorporate suitable shrinkage-flexion joints (movement/expansion joints) which must not be spaced more than 4-5 metres apart from one another. These joints must be inserted not only between the tiles, but also reach the levelling compound below, consisting of either cement mortar or dry compound, depending on whether the tiles are set in the traditional manner or using a modern adhesive. The movement joints must be sealed with appropriate materials such as silicone or polyurethane-based sealants, depending on the anticipated traffic of the application area.

Appropriate tile bedding layers should be used such as underlay, damp course, vapour barrier or any other layer necessary to prevent the tiles from detaching themselves or cracking due to water penetration.

### TECHNICAL CHARACTERISTICS - GRES WHITE BODY TILES (BIIA)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications
	Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.3%
	Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Water Absorption	BS EN ISO 10545-3	3% < E <= 6%	3% <E <= 5%
	Modulus of Rupture	BS EN ISO 10545-4	>=22 N/mm <sup>2</sup>	>=30 N/mm <sup>2</sup>
	Breaking Strength	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=1000N	>=1100N
	Thickness < = 7.5mm		>=600N	>=800N
	Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	Class 2 - 4
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect
	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing
	Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 4
	Scratch Hardness : (Moh's)	EN 101	-	4 - 6

**Note :** Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

## MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and porcelain tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.
- While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

## RAK CERAMICS CARE EXCLUSIVE POST INSTALLATION CLEANING SERVICE

We have collaborated with Fila, a leading company in cleaning, protection and maintenance of ceramic surfaces to offer an exclusive cleaning service to address our customers post installation concerns.

Cleaning after laying is of vital importance as a lot of unseen debris and reactive chemicals can affect the visual appearance of the ceramic material. With this new service, our customers can take advantage of Fila's professional on-site consultation. For more info please visit [www.rakceramics.com](http://www.rakceramics.com)



FILA IS A RECOMMENDED PARTNER OF RAK CERAMICS

## TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the work.

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, polished or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.








Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.

The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.



LATICRETE IS A RECOMMENDED PARTNER OF RAK CERAMICS

## PACKAGING DETAILS (PORCELAIN AND CERAMIC TILES)



Sizes (cm)	Thickness (mm)	Pieces X 	M² X 	Kg X 	 X  Eu. Pallet	M² X  Eu. Pallet	kg X  Eu. Pallet
80x80	9	2	1.12	25.00	45	50.40	1125.00
60x120	9	2	1.44	30.00	30	43.20	921.00
60x120	20	1	0.72	32.40	38	27.36	1247.20
19.5x120	9	5	1.17	25.00	36	42.12	921.00
60x60	9	4	1.44	30.00	30	43.20	921.00
30x60	9	6	1.08	23.00	48	51.84	1125.00
40x120	10.5	3	1.44	29.00	64	92.16	1856.00
7x38	8.5	36	0.7	15.5	72	50.40	1136.00

## PACKAGING DETAILS (MAXIMUS)

Sizes (cm)	Thickness (mm)	Finishes	M² X Pz	Kg X Pz	Pz X Horizontal Pallet	M² X Horizontal Pallet	kg X Horizontal Pallet	Pz X Vertical Pallet	M² X Vertical Pallet	kg X Vertical Pallet	Pz X Box Pallet	M² X Box Pallet	kg X Box Pallet
135x305	14.5	Natural	4.12	150.00	10	41.2	1572.00	10	41.20	1548.00	-	-	-
135x305	14.5	Polished	4.12	143.00	10	41.2	1502.00	10	41.20	1478.00	-	-	-
120x280	9	Natural	3.36	68.00	20	67.2	1435.00	-	-	-	-	-	-
120x280	9	Polished	3.36	68.00	20	67.2	1435.00	-	-	-	-	-	-
120x260	6	Natural	3.12	44.00	20	62.4	960.00	-	-	-	-	-	-
120x260	6	Polished	3.12	44.00	20	62.4	960.00	-	-	-	-	-	-
120x120	9	Natural	1.44	21.00	-	-	-	-	-	-	40	57.60	1260
120x120	9	Natural	1.44	21.00	-	-	-	-	-	-	40	57.60	1260

Note: All tile dimensions mentioned above are rectified. Unrectified size is available in +/-140x308cm on request  
All weights and thickness mentioned in the above table are approximate average.

## R RATING TABLE

Collections	Typology	Colours	R 	R 
B-MATERIA	Porcelain Tiles	All Colours	R10	-
BRECCIA ADIGE STONE	Porcelain Tiles	All Colours	R10	-
CARMO STONE	Porcelain Tiles	All Colours	R10	R11 (20mm Thickness)
CREATIVE CONCRETE	Porcelain Tiles	All Colours	R10	R11 (20mm Thickness)
ELEGANT WOOD	Porcelain Tiles	All Colours	R10	-
ESSENTIAL WOOD	Porcelain Tiles	All Colours	R10	-
HARBOR STONE	Porcelain Tiles	All Colours	R10	R11 (20mm Thickness)
LOFT CONCRETE	Porcelain Tiles	All Colours	R9	-
MIMESIS	Porcelain Tiles	All Colours	R9	-
SEA WOOD	Porcelain Tiles	All Colours	R10	-
STEAM STONE	Porcelain Tiles	All Colours	R10	R11 (20mm Thickness)
TIBUR BAALBEK	Porcelain Tiles	All Colours	R9	-




**TYOLOGY**

 <b>PT</b> PORCELAIN TILES	 <b>FB</b> FULL BODY PORCELAIN TILES	 <b>C/R</b> RED BODY CERAMIC TILES	 <b>G/W</b> GRES WHITE BODY CERAMIC TILES
--	---	---	---





**EDGE**

 <b>RECTIFIED</b>	 <b>STRAIGHT</b>	 <b>SHAPED</b>
---	---	---





**SURFACE STRUCTURE**

 <b>S</b> <b>SMOOTH</b> Tiles with an even and regular surface, free from perceptible projections, lumps, or indentations.	 <b>LS</b> <b>LIGHT STRUCTURE</b> Tiles with an uneven, irregular surface, with a structure perceptible to the eye and touch.	 <b>HS</b> <b>HEAVY STRUCTURE</b> Tiles with a highly irregular surface.
---	---	--





**FINISH**

 <b>N</b> <b>NATURAL</b> Pressed tiles without further work after firing.	 <b>L</b> <b>LAPPATO</b> Semi polished/honed products achieved by polishing the tile's surface with an abrasive wheel, not long enough to attain the luster of a typical polished tile.	 <b>FL</b> <b>FULL LAPPATO</b> A ceramic lapping process performed with the finest abrasive grain, aimed at removing the smallest imperfections and glaze.	 <b>P</b> <b>POLISHED</b> Pressed tiles with a smooth pad, subjected to a strong mechanical processing, by removing a significant amount of material after firing, making the surface bright.
---	--	---	--

**SURFACE LOOK**

 <b>M</b> <b>MATT</b> Natural looking surface.	 <b>S</b> <b>SATIN</b> Satin-like surface look. Smooth and velvety to the touch.	 <b>G</b> <b>GLOSSY</b> The resulting surface has a medium degree of reflection.	 <b>HG</b> <b>HIGH GLOSSY</b> The final appearance of the surface is high reflective, almost mirror-like.
---	--	--	---







**COLOUR VARIATIONS**

 <b>V1 EVEN</b> The least amount of shade variation attainable.	 <b>V2 LIGHT</b> Light to moderate shade variation within each carton.	 <b>V3 MEDIUM</b> Medium to high shade variation within each carton.	 <b>V4 STRONG</b> Very high shade variation within each carton.
---	--	--	---

**INDICATIONS FOR USE**

 <b>WALL TILES</b>	 <b>FLOOR TILES</b>	 <b>COUNTERTOP SURFACE</b>
---	--	---

**SUGGESTED APPLICATIONS**

 <b>DOMESTIC PURPOSE</b> Residential areas, hotel rooms, bathrooms	 <b>LIGHT COMMERCIAL TRAFFIC AREA</b> Indoor public areas subject to medium pedestrian traffic such as restaurants, bars, offices, shops, hotel public areas, convention rooms.	 <b>INDUSTRIAL TRAFFIC AREA</b> Indoor public areas subject to heavy pedestrian traffic such as airports, railway and underground stations, shopping malls, schools, museums and libraries, hospitals, banks and public offices, car showrooms, sport centers, hotel lobbies.
 <b>OUTDOOR</b> Outdoor public environments subject to medium pedestrian traffic such as outdoor terraces, stairs, corridors, raised paving, private garden, swimming pool and wellness areas. Always check the slipperiness characteristics according to the intended environment, in conformity with applicable regulations or laws.	 <b>HEAVY COMMERCIAL TRAFFIC AREA</b> Industrial floors such as warehouses, deposits, factories.	 <b>FACADE</b> Ventilated façade, low and high rise.

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

## CONTACTS :

**RAK Ceramics Corporate  
Headquarters PJSC**

P.O. Box 4714, Ras Al Khaimah, United Arab Emirates (U.A.E.)  
Tel. +971 7 2467000, Fax. +971 7 2445270 Email: [info@rakceramics.com](mailto:info@rakceramics.com)

**RAK Ceramics Distribution  
Europe SRL**

RAK Ceramics Distribution Europe SRL, Via Ferrari Carazzoli 21, 41042 Fiorano Modenese (MO) - Italy  
Tel. +39 0536 1888600, Fax. +39 0536 913920

**RAK Ceramics GmbH**

RAK Ceramics GmbH, Hanauer Landstraße 184, 60314 Frankfurt Am Main, Germany  
Tel. +49 (0) 6258 9418491, Fax. +49 (0) 6258 9418499

**RAK Ceramics UK Ltd**

RAK Ceramics UK Ltd, Bradford House, Frenchmans Road, Petersfield, Hampshire, GU32 3AW, England, UK  
Tel. +44 1730 237850, Fax. +44 1730 263210

---

**RAKCERAMICS.COM**

---



RAK  
CERAMICS